



FLAGSTONE  **PAVERS**

QUALITY & STRENGTH INTERLOCKED


www.flagstonepavers.com



2020 PRODUCT CATALOG



ABOUT US



What makes Flagstone America's Premier Paver?



MATERIAL

Flagstone Pavers meet or exceed the ASTM C-936, standard specifications for solid interlocking concrete paving units. We have the best multi-color blending system in the market today. Our innovative full-color through process, creates the strongest possible product, while maintaining a smooth concrete surface. So you get the best of both worlds. All with an unsurpassed warranty.



DENSITY

Flagstone Pavers has developed a revolutionary color-through batch design that provides optimum strength and durability — without the problems often encountered in the veneer process offered by other manufacturers.

This innovative system eliminates separation between the surface and base material and stops premature wear.



CONSISTENCY

Flagstone Pavers' renowned batch design continues to set the standard for the industry.

While other paver manufacturers may also use the color-through process, many do not add sand and properly adjust their cement and color loadings, which can result in the color looking faded compared to Flagstone's products.



SERVICE

We are committed to providing outstanding service and exceptional on-time delivery.

With our architectural design guide, photo gallery, and sample boards, you'll find it easy to select the right paver solution for your project. And our comprehensive website puts all of our resources at your fingertips.

Cover Photo: Panorama Demi in Cream / Beige / Charcoal

FLAGSTONE PAVERS

QUALITY & STRENGTH INTERLOCKED

Paving the way to your American dream...

Whether you're building or remodeling your dream home or pouring yourself into your business, you bring all your hopes and aspirations into it. You're fulfilling the American dream. At Flagstone, we put that same level of dedication and commitment into each one of our pavers. That's why they are simply the best paver you can buy.

Our revolutionary color-blending system gives you the most vibrant pavers available in the market today. We use only the finest quality materials available from Florida mines resulting in a paver with a smoother, harder surface providing enhanced durability and strength. Our commitment to outstanding service and exceptional on-time delivery truly separates us from the rest.



TABLE OF CONTENTS

4	Gallery
6	Product Guide
7	Single Pavers
8	New England
8	Heritage
8	Union
9	Castlerock III
9	Traverstone
9	Eco-CityLock®
10	CityStone™ Demi & Supra
11	Panorama™ Demi & Supra
12	St. Augustine Collection
13	Coping
14	Stonegate®
15	Munich Wall
15	Fire Pit Brick
16	RumbleStone®
17	Flagstone Color Matrix
18	Color Guide



GALLERY



Liberty in Cream and Freedom in Tan, Stack Bond Pattern



Heritage & Coping in White / Tan / Charcoal



New England & Coping in Cream / Beige / Charcoal, Random Pattern



Heritage in White / Pewter



Union in Indian Summer, T-pattern



Old Glory in White / Pewter



CityStone in Cream / Beige, Random Pattern

SINGLE PAVERS



FREEDOM 4" x 8"
Thickness: 30mm, 60mm, 80mm



COMMONWEALTH 8" x 8"
Thickness: 30mm, 60mm



INDEPENDENCE 8" x 12"
Thickness: 60mm



OLD GLORY 12" x 18"
Thickness: 60mm



MONUMENT 11" x 8" x 4"
Thickness: 30mm, 60mm



LIBERTY 12" x 12"
Thickness: 30mm, 60mm



SUPREME 16" x 16"
Thickness: 60mm



Freedom in Cream / Beige / Charcoal,
Herringbone Pattern



Independence in Cream / Beige / Charcoal,
Herringbone Pattern



Monument White / Tan / Charcoal with
Commonwealth Inserts in White and Tan



Supreme in Cream / Orange / Pewter,
Running Bond Pattern



PRODUCT GUIDE

NEW ENGLAND



3" x 6"

6" x 6"

6" x 9"

Thickness: 30mm, 60mm



New England in Indian Summer, Running Bond

HERITAGE



4½" x 8⅞"

8⅞" x 8⅞"

8⅞" x 13⅜"

Thickness: 30mm, 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.



Heritage in White / Tan / Charcoal, Random Pattern

UNION



6" x 6"

6" x 9"

Thickness: 30mm, 60mm



Union in Indian Summer, T-Pattern

CASTLEROCK III



$4\frac{5}{8}" \times 6\frac{1}{4}"$
 $6\frac{1}{4}" \times 6\frac{1}{4}"$
 $6\frac{1}{4}" \times 9\frac{1}{4}"$

Thickness: 30mm, 60mm

Pillow top surface



Castlerock III in Old Chicago, Random Pattern

TRAVERSTONE



9" x 9"
9" x 12"
9" x 15"

Thickness: 30mm, 60mm

Softened edges create the natural look of weathered flagstone.



Traverstone in Cream / Orange / Pewter, Random Pattern

ECO-CITYLOCK®

Permeable paver



4" x 8"

Thickness: 60mm



Eco-CityLock in Gray / Charcoal, Herringbone Pattern



PRODUCT GUIDE

CITYSTONE™ Demi



4" x 8"
8" x 8"
8" x 12"

Thickness: 30mm, 60mm



CityStone Demi in Cream / Beige / Charcoal, Random Pattern

CITYSTONE™ Supra

Pedestrian use only



8" x 16"
16" x 16"
16" x 24"

Thickness: 60mm



CityStone Supra in White / Pewter, Random Pattern

CITYSTONE™ Demi & Supra



4" x 8"	8" x 16"
8" x 8"	16" x 16"
8" x 12"	16" x 24"

Thickness: 60mm



CityStone Demi & Supra in Cream / Beige, Random Pattern

PANORAMA™ Demi



4" x 8"

8" x 8"

8" x 12"

Thickness: 30mm, 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.



Panorama Demi in Willow, Random Pattern

PANORAMA™ Supra

Pedestrian use only



8" x 16"

16" x 16"

16" x 24"

Thickness: 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.



Panorama Supra in Willow, Random Pattern

PANORAMA™ Demi & Supra



4" x 8" | 8" x 16"

8" x 8" | 16" x 16"

8" x 12" | 16" x 24"

Thickness: 60mm

Embossed surface gives a slate like appearance. Softened edges create the natural look of weathered flagstone.



Panorama Demi & Supra in Cream / Beige, Random Pattern



PRODUCT GUIDE

ST. AUGUSTINE COLLECTION

Flagstone Pavers' St. Augustine Collection is a compilation of paver shapes that can be used individually or combined to create a true "Old City" look and feel. The uneven chamfered edges and curvatures to the individual pavers appear as true stones.

Circles and fans are included in this unique collection and denote Old World craftsmanship. They become the center of attention in a field of pavers, adding warmth and charm. The St. Augustine collection consists of the following paver shapes:

Flagler, $3\frac{1}{8}" \times 6\frac{1}{2}"$

Anastasia, $6\frac{1}{2}" \times 6\frac{1}{2}"$


Castillo, $6\frac{1}{2}" \times 9\frac{7}{8}"$

Turret, $3\frac{1}{8}"$ Octagon

Puente, $6\frac{1}{2}" \times 7" \times 2"$

Leones, $6\frac{1}{2}" \times 7\frac{1}{2}" \times 4\frac{3}{8}"$

Bahia, $3\frac{3}{8}" \times 11"$



FLAGLER
Thickness: 60mm



ANASTASIA
Thickness: 60mm



TURRET OCTAGON
Thickness: 60mm



CASTILLO
Thickness: 60mm



PUENTE/LEONES
Thickness: 60mm



BAHIA
Thickness: 60mm



Circle Pattern in Cream / Beige / Charcoal, Munich Wall in Cream / Beige / Charcoal

BULLNOSE COPING

Used for pool coping or step coping during new applications and replacement applications.

Thickness: 60mm



Bullnose Coping in White / Pewter, Step Application

REMODEL COPING

Remodel Coping can be used for pool coping or step coping to overlay existing hard surfaces.

Available in 1" Long, 2 3/4" Long, 4" Long

1" Long



2 3/4" Long



4" Long



2 3/4" Remodel Coping, Cream / Orange / Pewter



4" Remodel Coping, White / Tan / Charcoal



PRODUCT GUIDE

STONEGATE®

Stonegate combines an elegant weathered stone appearance with almost endless design possibilities. This versatile retaining wall system allows for the easy creation of gravity retaining walls up to 3-feet in height, free-standing walls, and outdoor living elements such as kitchens, fireplaces, fire pits, benches and more.



STONEGATE® LARGE
10" deep x 16" - 14" wide x 6" high



STONEGATE® MEDIUM
10" deep x 12" - 10" wide x 6" high



STONEGATE® SMALL
10" deep x 6" - 4" wide x 6" high



STONEGATE® CAP
11" deep x 12" - 10" wide x 3" high



Stonegate® in Cream / Beige / Charcoal



Stonegate® Grill Station in Gray / Charcoal

MUNICH WALL

Munich Wall offers an easy, cost-effective solution for smaller walls and columns. Product can be dry stacked or mortar set.



8" deep x 12" long x 4" thick
Weight: 25 lbs



Munich Wall in Cream / Beige / Charcoal

FIRE PIT BRICK

Fire pits will bring beauty and ambiance to any outdoor living space and will provide years of pleasure to you and your family..



8" deep x 7" - 5" wide x 4" thick
Weight: 15 lbs



Fire Pit Brick in Gray / Charcoal

RUMBLESTONE®

Flagstone's innovative RumbleStone® provides a set of rustic building blocks for your outdoor hardscape projects. Simple to complex, large or small, the possibilities for creative expression are as far and wide as your imagination. The six tumbled RumbleStone® sizes modulate in all dimensions and can be assembled in a variety of configurations and orientations. In addition to simple running bond patterns, the stones can be easily stacked with insets, moved forward and backward, horizontally and vertically, for more aesthetically pleasing visual relief and texture. Also, the 3.5-inch base module works with common dimension lumber for benches and pergola posts. Stack 'em up and bond with construction adhesive.



RumbleStone® Bench and Fire Pit in Café



RUMBLESTONE® SQUARE
7" deep x 7" wide x 1 3/4" thick



RUMBLESTONE® MINI
7" deep x 3 1/2" wide x 1 3/4" thick



RUMBLESTONE® RECTANGLE
7" deep x 10 1/2" wide x 1 3/4" thick



RUMBLESTONE® LARGE
7" deep x 10 1/2" wide x 3 1/2" thick



RUMBLESTONE® MEDIUM
7" deep x 7" wide x 3 1/2" thick



RUMBLESTONE® TRAPEZOID
7" deep x 10 1/4" - 6 1/2" wide x 3 1/2" thick

FLAGSTONE COLOR MATRIX

The availability of colors in certain shapes may change. Minimum square footage requirements may apply. Please refer to our current Product Color Run Sheet on www.flagstonepavers.com before making your selections.

PAVER COLORS		White	Cream	Beige	White/Tan	White/Pewter	Cream/Beige	Cream/Orange	Cream/Tan	White/Tan/Charcoal	Cream/Orange/Pewter	Cream/Beige/Charcoal	Cream/Orange/Brown	Old Chicago I	Willow	Gray/Charcoal	Red/Charcoal	Tan/Charcoal	Red/Tan/Charcoal	Orange/Tan/Charcoal	Indian Summer	Tan	Pewter	Charcoal	Café
PAVERS																									
SINGLE PAVERS	Freedom	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	
	Commonwealth		X	X		X	X			X	X	X										X			
	Independence					0	0		0	0	0	0													
	Old Glory	0	0		0	0	0			0	0	0	0												
	Monument					X	X			X	X	X													
	Liberty				X	X	X		X	X	X	X													
	Supreme					0	0		0	0	0	0													
New England					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
Heritage					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
Union					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
Castlerock III					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
Traverstone					X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X				
Eco-CityLock®						0				0	0	0				0									
CityStone™ Demi					X	X	X			X	X	X	X	X	X	X					X				
CityStone™ Supra					0	0	0			0	0	0	0	0	0	0					0				
Panorama™ Demi					X	X	X			X	X	X	X	X	X	X					X				
Panorama™ Supra					0	0	0			0	0	0	0	0	0	0					0				
St. Augustine Collection												X													
COPING																									
Bullnose Coping		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X					X	X	X		
Remodel Coping		X	X	X	X	X	X	X	X	X	X	X	X	X	X						X	X	X		
WALLS																									
Stonegate® Wall & Cap										X		X				X					X				
Munich Wall										X		X				X					X				
Fire Pit Brick										X		X				X					X				
RumbleStone®																									X

X = Available in both Thick and Thin

0 = Available Thick Pavers ONLY

Due to expected variations of the natural raw materials used in the production of these products, minor shade variations may occur between samples including material samples, photography, printed images, computer images and orders. Please make your color selections from the actual samples. Check with your Flagstone representative for shapes and sizes available in solid and premium colors.



COLOR GUIDE

Blended White Cement Based Colors



Cream / Beige



Cream / Beige / Charcoal



Cream / Orange



Cream / Orange / Brown



Cream / Orange / Pewter



Cream / Tan



Old Chicago I



White / Pewter



White / Tan



White / Tan / Charcoal



Willow

Due to expected variations of the natural raw materials used in the production of these products, minor shade variations may occur between samples including material samples, photography, printed images, computer images and orders. Please make your color selections from the actual samples. Check with your Flagstone representative for shapes and sizes available in solid and premium colors.

Blended Gray Cement Based Colors



Gray / Charcoal



Indian Summer



Orange / Tan / Charcoal



Red / Charcoal



Red / Tan / Charcoal



Tan / Charcoal

Solid Gray Cement Based Colors



Charcoal



Pewter



Tan

Solid White Cement Based Colors



Beige



Cream



White



Heritage in Cream / Beige / Charcoal, Random Pattern

NOTICE OF LIMITED WARRANTY: the terms of the Limited Warranty applicable to our products can be found at www.flagstonepavers.com or can be obtained by sending a written request to c/o FLAGSTONE PAVERS, 9070 Old Cobb Road, Brooksville, FL 34601.

Manufactured by:

FLAGSTONE  PAVERS
QUALITY & STRENGTH INTERLOCKED

www.flagstonepavers.com

9070 Old Cobb Road
Brooksville, FL 34601
Phone: 352-799-7933
Fax: 352-799-6844

©2019 The QUIKRETE Companies - Patents Pending. • KHS - 11/19

QUIKRETE and its subsidiaries (collectively QUIKRETE) reserve the right to improve its products and make changes to its specification and design without notice. The information contained herein has been compiled by QUIKRETE and to the best of its knowledge, accurately represents Flagstone Pavers products and how it may be used in the applications which are illustrated. Site conditions, including load pressures acting on the wall, soil types and drainage conditions, may vary. Final determination of the suitability of the product for the use contemplated and the manner of product use are the sole responsibility of the user. Good construction practices and local building codes require the use of an engineered design when constructing retaining walls or free-standing walls in many conditions. Structural design and analysis should be provided by a qualified engineer.